§ 648.22

the analysis provided by the Council, applicants may be required to provide additional analysis of impacts of the exemptions before issuance of an EFP will be considered, as specified in the EFP regulations at §648.745(b).

[61 FR 34968, July 3, 1996, as amended at 62 FR 8637, Feb. 26, 1997; 64 FR 57593, Oct. 26, 1999; 65 FR 16345, Mar. 28, 2000; 65 FR 55927, Sept. 15, 2000; 66 FR 13028, Mar. 2, 2001; 66 FR 35566, July 6, 2001; 66 FR 42159, Aug. 10, 2001; 67 FR 3627, Jan. 25, 2002; 67 FR 44394, July 2, 2002; 68 FR 60, Jan. 2, 2003; 69 FR 16178, Mar. 29, 2004; 71 FR 63270, Oct. 30, 2006; 72 FR 4216, Jan. 30, 2007; 72 FR 8632, Feb. 27, 2007]

§ 648.22 Closure of the fishery.

(a) Closing Procedures. (1) NMFS shall close the directed mackerel fishery in the EEZ when the Regional Administrator projects that 80 percent of the mackerel DAH is landed, if such a closure is necessary to prevent the DAH from being exceeded. The closure shall remain in effect for the remainder of the fishing year, with incidental catches allowed as specified in paragraph (c) of this section, until the entire DAH is attained. When the Regional Administrator projects that the DAH will be landed for mackerel, NMFS will close the mackerel fishery in the EEZ, and the incidental catches specified for mackerel in paragraph (c) of this section will be prohibited.

(2) NMFS shall close the directed fishery in the EEZ for *Loligo* when the Regional Administrator projects that 90 percent of the quota is harvested in Trimesters I and II, and when 95 percent of DAH has been harvested in Trimester III. The closure of the directed fishery shall be in effect for the remainder of the fishing period, with incidental catches allowed as specified in paragraph (c) of this section.

(3) NMFS shall close the directed *Illex* or butterfish fishery in the EEZ when the Regional Administrator projects that 95 percent of the *Illex* or butterfish DAH is landed. The closure of the directed fishery will be in effect for the remainder of the fishing year, with incidental catches allowed as specified in paragraph (c) of this section

(b) Notification. Upon determining that a closure is necessary, the Assistant Administrator will notify, in advance of the closure, the Executive Di-

rectors of the MAFMC, NEFMC, and SAFMC; mail notification of the closure to all holders of mackerel, squid, and butterfish fishery permits at least 72 hours before the effective date of the closure; provide adequate notice of the closure to recreational participants in the fishery; and publish notification of closure in the FEDERAL REGISTER.

(c) Incidental catches. During a closure of the directed mackerel fishery, the possession limit for mackerel is 10 percent, by weight, of the total amount of fish on board. For vessels that have been issued a Loligo or butterfish incidental catch permit (as specified at §648.4(a)(5)(ii)) or during a closure of the directed fishery for Loligo or butterfish, the possession limit for Loligo and butterfish is 2.500 lb (1.13 mt) each. For vessels that have been issued an Illex incidental catch permit (specified at §648.4(a)(5)(ii)) or during a closure of the directed fishery for Illex, the possession limit for Illex is 10,000 lb (4.54 mt). Vessels may not land more than these limits and may only land once during any single calendar day, which is defined as the 24 hr period beginning at 0001 hours and ending at 2400 hours.

[61 FR 34968, July 3, 1996, as amended at 62 FR 8637, Feb. 26, 1997; 65 FR 16345, Mar. 28, 2000; 65 FR 81765, Dec. 27, 2000; 66 FR 13028, Mar. 2, 2001; 69 FR 4864, Feb. 2, 2004; 72 FR 4217, Jan. 30, 2007; 72 FR 8632, Feb. 27, 2007]

EDITORIAL NOTE: At 72 FR 4217, Jan. 30, 2007, §648.22(d) was added; however, the amendment could not be incorporated because the text was not provided.

§ 648.23 Gear restrictions.

(a) Mesh restrictions and exemptions.
(1) Vessels subject to the mesh restrictions outlined in this paragraph (a) may not have available for immediate use any net, or any piece of net, with a mesh size smaller than that required.

(2) Owners or operators of otter trawl vessels possessing 5,000 lb (2.27 mt) or more of butterfish harvested in or from the EEZ may only fish with nets having a minimum codend mesh of 3 inches (76 mm) diamond mesh, inside stretch measure, applied throughout the codend for at least 100 continuous meshes forward of the terminus of the net, or for codends with less than 100 meshes, the minimum mesh size

codend shall be a minimum of onethird of the net measured from the terminus of the codend to the headrope.

(3) Owners or operators of otter trawl vessels possessing Loligo harvested in or from the EEZ may only fish with nets having a minimum mesh size of 1% inches (48 mm) diamond mesh, inside stretch measure, applied throughout the codend for at least 150 continuous meshes forward of the terminus of the net, or for codends with less than 150 meshes, the minimum mesh size codend shall be a minimum of onethird of the net measured from the terminus of the codend to the headrope, unless they are fishing during the months of June, July, August, and September for Illex seaward of the following coordinates (copies of a map depicting this area are available from the Regional Administrator upon request):

		_
Point	N. Lat.	W. Long.
M1	43°58.0′	67°22.0′
M2	43°50.0′	68°35.0′
M3	43°30.0′	69°40.0'
M4	43°20.0′	70°00.0′
M5	42°45.0′	70°10.0′
M6	42°13.0′	69°55.0′
M7	41°00.0′	69°00.0'
M8	41°45.0′	68°15.0′
M9	42°10.0′	67°10.0′
M10	41°18.6′	66°24.8′
M11	40°55.5′	66°38.0′
M12	40°45.5′	68°00.0′
M13	40°37.0′	68°00.0′
M14	40°30.0′	69°00.0′
M15	40°22.7′	69°00.0′
M16	40°18.7′	69°40.0′
M17	40°21.0′	71°03.0′
M18	39°41.0′	72°32.0′
M19	38°47.0′	73°11.0′
M20	38°04.0′	74°06.0′
M21	37°08.0′	74°46.0′
M22	36°00.0′	74°52.0′
M23	35°45.0′	74°53.0′
M24	35°28.0′	74°52.0′

- (4) Vessels fishing under this exemption may not have available for immediate use, as defined in paragraph (b) of this section, any net, or any piece of net, with a mesh size less than 1% inches (48 mm) diamond mesh or any net, or any piece of net, with mesh that is rigged in a manner that is prohibited by paragraphs (c) and (d) of this section, when the vessel is landward of the specified coordinates.
- (b) Definition of "not available for immediate use." Gear that is shown not to have been in recent use and that is stowed in conformance with one of

the following methods is considered to be not available for immediate use:

- (1) Nets. (i) Below deck stowage. (A) It is stored below the main working deck from which it is deployed and retrieved:
- (B) The towing wires, including the leg wires, are detached from the net; and
- (C) It is fan-folded (flaked) and bound around its circumference.
- (ii) On-deck stowage. (A) It is fan-folded (flaked) and bound around its circumference;
- (B) It is securely fastened to the deck or rail of the vessel; and
- (C) The towing wires, including the leg wires, are detached from the net.
- (iii) On-reel stowage. (A) The net is on a reel, its entire surface is covered with canvas or other similar opaque material, and the canvas or other material is securely bound;
- (B) The towing wires are detached from the net; and
- (C) The codend is removed and stored below deck.
- (iv) On-reel stowage for vessels transiting the Gulf of Maine Rolling Closure Areas, the Georges Bank Seasonal Area Closure, and the Conditional Gulf of Maine Rolling Closure Area. (A) The net is on a reel, its entire surface is covered with canvas or other similar opaque material, and the canvas or other material is securely bound;
- (B) The towing wires are detached from the doors; and
- (C) No containment rope, codend tripping device, or other mechanism to close off the codend is attached to the codend.
- (2) Scallop dredges. (i) The towing wire is detached from the scallop dredge, the towing wire is completely reeled up onto the winch, the dredge is secured and the dredge or the winch is covered so that it is rendered unuseable for fishing; or
- (ii) The towing wire is detached from the dredge and attached to a bright-colored poly ball no less than 24 inches (60.9 cm) in diameter, with the towing wire left in its normal operating position (through the various blocks) and either is wound back to the first block (in the gallows) or is suspended at the end of the lifting block where its retrieval does not present a hazard to the

§ 648.24

crew and where it is readily visible from above.

- (3) Hook gear (other than pelagic). All anchors and buoys are secured and all hook gear, including jigging machines, is covered.
- (4) Sink gillnet gear. All nets are covered with canvas or other similar material and lashed or otherwise securely fastened to the deck or rail, and all buoys larger than 6 inches (15.24 cm) in diameter, high flyers, and anchors are disconnected.
- (5) Other methods of stowage. Any other method of stowage authorized in writing by the Regional Administrator and subsequently published in the FEDERAL REGISTER.
- (c) Mesh obstruction or constriction. The owner or operator of a fishing vessel shall not use any mesh construction, mesh configuration or other means that effectively decreases the mesh size below the minimum mesh size, except that a liner may be used to close the opening created by the rings in the aftermost portion of the net, provided the liner extends no more than 10 meshes forward of the aftermost portion of the net. The inside webbing of the codend shall be the same circumference or less than the outside webbing (strengthener). In addition, the inside webbing shall not be more than 2 ft (61 cm) longer than the outside webbing.
- (d) Net obstruction or constriction. The owner or operator of a fishing vessel shall not use any device, gear, or material, including, but not limited to, nets, net strengtheners, ropes, lines, or chafing gear, on the top of the regulated portion of a trawl net that results in an effective mesh opening of less than 1% inches (48 mm) diamond mesh, inside stretch measure. Net strengtheners (covers), splitting straps and/or bull ropes or wire may be used, provided they do not constrict the top of the regulated portion of the net to less than an effective mesh opening of 17/8 inches (48 mm), diamond mesh, inside stretch measure. Net strengtheners (covers) may not have an effective mesh opening of less than 4.5 inches (11.43 cm), diamond mesh, inside stretch measure. "Top of the regulated portion of the net" means the 50 percent of the entire regulated portion of

the net that (in a hypothetical situation) would not be in contact with the ocean bottom during a tow if the regulated portion of the net were laid flat on the ocean floor. For the purpose of this paragraph (d), head ropes are not to be considered part of the top of the regulated portion of a trawl net.

[61 FR 34968, July 3, 1996, as amended at 62 FR 14648, Mar. 27, 1997; 63 FR 1774, Jan. 12, 1998; 64 FR 24073, May 5, 1999; 65 FR 16345, Mar. 28, 2000; 65 FR 37911, June 19, 2000; 68 FR 9586, Feb. 28, 2003; 69 FR 22951, Apr. 27, 2004; 71 FR 63270, Oct. 30, 2006]

§ 648.24 Framework adjustments to management measures.

- (a) Within season management action. The Council, at any time, may initiate action to add or adjust management measures within the Atlantic Mackerel, Squid, and Butterfish FMP if it finds that action is necessary to meet or be consistent with the goals and objectives of the plan.
- (1) Adjustment process. The Council shall develop and analyze appropriate management actions over the span of at least two Council meetings. The Council must provide the public with advance notice of the availability of the recommendation(s), appropriate justification(s) and economic and biological analyses, and the opportunity to comment on the proposed adjustment(s) at the first meeting and prior to and at the second Council meeting. The Council's recommendations on adjustments or additions to management measures must come from one or more of the following categories: Minimum fish size, maximum fish size, gear restrictions, gear requirements or prohibitions, permitting restrictions, recreational possession limit, recreational seasons, closed areas, commercial seasons, commercial trip limits, commercial quota system including commercial quota allocation procedure and possible quota set asides to mitigate bycatch, recreational harvest limit, annual specification quota setting process, FMP Monitoring Committee composition and process, description and identification of essential fish habitat (and fishing gear management measures that impact EFH), description and identification of habitat areas of particular concern, overfishing definition